




Machine type: TILLER

Model: CS


Group: Frame and tractor hitches

Document ID: 902875014

Revision: 07 _04/07/2017 ->

Table: 01


Reference	P/N	Description	Model #	Quantity
1	4337003	150 hook for RC/SA shaft drive		1
2	3021108016	Screw UNI5739 8.8 M8x16 galvanised (coarse pitch)		1
3	5137068	RC/SA coupling support hook clip		1
4	3444101008	DIN980 self-locking M8 (coarse pitch) 8 zinc plate		1
5	6351004	Split pin Ad R Ø4 galvanised		3
6	4301589	RC lower 3rd point pin		1
7	4001514	CS/RC upper 3rd point		1
8	3444101012	DIN980 self-locking 8 (coarse pitch) M12 zinc plat		8
9	4001466	CS085 frame	CS/085	1
9	4001468	CS105 frame	CS/105	1
9	4001470	CS125 frame	CS/125	1
9	4001471	CS135 frame	CS/135	1
9	4001472	CS145 frame	CS/145	1
9	4001473	CS165 frame	CS/165	1
9	4001474	CS185 frame	CS/185	1
9	4001475	Frame	CS/205	1
10	3021110025	Screw UNI5739 8.8 M10x25 galvanised (coarse pitch)		7
11	4131503	SC/SF/FLRB external side plate		1
12	3635100010	Grower washer Fiat 10188 C70 Øi10 zinc plated		7
13	3444101010	DIN980 self-locking 8 (coarse pitch) M10 zinc plat		7
14	4301590	SL/.../FA/.../BH/.../RG lower 3rd point pin		2
15	3464101014	UNI7473 (coarse pitch) M14 zinc plated nut		4
16	4001506	CS/RC lower 3rd point		2
17	4201513	CS/RC 3rd point fastening tie		2
18	3021112035	Screw UNI5739 8.8 M12x35 galvanised (coarse pitch)		8
19	4011519	SF/CS lower 3rd point		2
20	6601603	Document holder container - small		1
21	3021108020	Screw UNI5739 8.8 M8x20 galvanised (coarse pitch)		2
22	3464101008	UNI7473 (coarse pitch) M8 zinc plated nut		2



Machine type: TILLER
 Model: CS
 Group: CHAIN DRIVE

Document ID: 902875014
 Revision: 07_04/07/2017 ->
 Table: 02

Reference	P/N	Description	Model #	Quantity
1	3021108016	Screw UNI5739 8.8 M8x16 galvanised (coarse pitch)		1
2	4138034	RM/RD/CST/RC coupling protection		1
3	4138035	coupling protection support		1
4	4001577	CS085-105 external extension	CS/085•105	1
5	4301520	CS/RC extension fastening tie		2
6	4001569	CS205 external extension	CS/205	1
6	4001579	CS125 external extension	CS/125	1
6	4001580	CS130 external extension	CS/135	1
6	4001581	CS145 external extension	CS/145	1
6	4001582	CS165 external extension	CS/165	1
6	4001583	CS185 external extension	CS/185	1
7	3021110025	Screw UNI5739 8.8 M10x25 galvanised (coarse pitch)		3
8	3021112030			2
9	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated		2
10	3604000012	Flat washer UNI6592 140Hv Øi12		2
11	3444101010	DIN980 self-locking 8 (coarse pitch) M10 zinc plat		4
12	4131519	CS/RC tie fastening clamp		2
13	3444101012	DIN980 self-locking 8 (coarse pitch) M12 zinc plat		2
14	3021110020	Screw UNI5739 8.8 M10x20 galvanised (coarse pitch)		4
15	3635100010	Grower washer Fiat 10188 C70 Øi10 zinc plated		4
16	8008843	L400 CS085/ZLL080 gearbox	CS/085	1
16	8008844	L500 CS105/ZLL100 gearbox	CS/105	1
16	8008846	L600 CS125/ZLL120 gearbox	CS/125	1
16	8008847	L650 CS135/ZLL130 gearbox	CS/135	1
16	8008848	L700 CS145/TG60Y gearbox	CS/145	1
16	8008849	L800 CS165 gearbox	CS/165	1
16	8008850	L900 CS185/ZLL180 gearbox	CS/185	1
16	8008858	L1000 CS205 gearbox	CS/205	1
16	8008880	Complete gearbox (anti-clockwise rotation)	CS/085	1
16	8008881	Complete gearbox (anti-clockwise rotation)	CS/105	1
16	8008882	Complete gearbox (anti-clockwise rotation)	CS/125	1
16	8008883	Complete gearbox (anti-clockwise rotation)	CS/135	1
16	8008884	Complete gearbox (anti-clockwise rotation)	CS/145	1
16	8008885	Complete gearbox (anti-clockwise rotation)	CS/165	1
16	8008886	Complete gearbox (anti-clockwise rotation)	CS/185	1
16	8008887	Complete gearbox (anti-clockwise rotation)	CS/205	1
17	4788744	Transmission side support seal		1
18	3604000008	Flat washer UNI6592 140Hv Øi08		6
19	3635100008	Grower Washer Ø8 FIAT 10188		6
20	3021108020	Screw UNI5739 8.8 M8x20 galvanised (coarse pitch)		2
21	3474102022	Nut ATB M22 UNI7474 Hmax 19mm fine pitch		1
22	4131502	SC/SF/FLRB transmission side plate		1
23	4701505	ASA100 Z10 CS-SF crown		1
24	6320040	Elastic ring Ø40 UNI7435 DIN471		1
25	4701507	CS-JD/FLRB pivot for chain tensioner		1
26	4211508	SF/FLBR/CS-JD chain tensioner skid		1
27	6800018	O-ring 116 18.72x2.62		1
28	3442022	M22x1.5 valve cap		1
29	4111446	Anonymous chain transmission crankcase		1
30	3444114	M14x1.5 conical porthole cap without washer		1
31	3444101008	DIN980 self-locking M8 (coarse pitch) 8 zinc plate		16
32	6703175	ASA100 chain 34 rollers		1
33	3840035	Self-locking ring nut M35		1
34	4701506	1"1/4 Z14 CS/SF/FLRB sprocket		1
35	4781508	CS-HL rubber-cork crankcase gasket		1



Machine type: TILLER

Model: CS

Group: GEAR TRANSMISSION

Document ID: 902875014

Revision: 07_04/07/2017 ->

Table: 03

Reference	P/N	Description	Model #	Quantity
1	3021108016	Screw UNI5739 8.8 M8x16 galvanised (coarse pitch)		5
2	4138034	RM/RD/CST/RC coupling protection		1
3	4138035	coupling protection support		1
4	4001577	CS085-105 external extension	CS/085•105	1
5	4301520	CS/RC extension fastening tie		2
6	4001590	CS125 external extension with gears		1
6	4001591	CS130 external extension with gears		1
6	4001592	CS145 external extension with gears		1
6	4001593	CS165 external extension with gears		1
6	4001594	CS185 external extension with gears		1
6	4001595	External side support		1
7	3021110025	Screw UNI5739 8.8 M10x25 galvanised (coarse pitch)		3
8	3021112030			2
9	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated		2
10	3604000012	Flat washer UNI6592 140Hv Øi12		2
11	4131519	CS/RC tie fastening clamp		2
12	3444101010	DIN980 self-locking 8 (coarse pitch) M10 zinc plat		4
13	3021110020	Screw UNI5739 8.8 M10x20 galvanised (coarse pitch)		4
14	3635100010	Grower washer Fiat 10188 C70 Øi10 zinc plated		4
15	8008843	L400 CS085/ZLL080 gearbox	CS/085	1
15	8008844	L500 CS105/ZLL100 gearbox	CS/105	1
15	8008846	L600 CS125/ZLL120 gearbox	CS/125	1
15	8008847	L650 CS135/ZLL130 gearbox	CS/135	1
15	8008848	L700 CS145/TG60Y gearbox	CS/145	1
15	8008849	L800 CS165 gearbox	CS/165	1
15	8008850	L900 CS185/ZLL180 gearbox	CS/185	1
15	8008858	L1000 CS205 gearbox	CS/205	1
15	8008880	Complete gearbox (anti-clockwise rotation)		1
15	8008881	Complete gearbox (anti-clockwise rotation)		1
15	8008882	Complete gearbox (anti-clockwise rotation)		1
15	8008883	Complete gearbox (anti-clockwise rotation)		1
15	8008884	Complete gearbox (anti-clockwise rotation)		1
15	8008885	Complete gearbox (anti-clockwise rotation)		1
15	8008886	Complete gearbox (anti-clockwise rotation)		1
15	8008887	Complete gearbox (anti-clockwise rotation)		1
16	4788744	Transmission side support seal		1
17	3604000008	Flat washer UNI6592 140Hv Øi08		6
18	3635100008	Grower Washer Ø8 FIAT 10188		6
19	3021108020	Screw UNI5739 8.8 M8x20 galvanised (coarse pitch)		2
20	3062208020	Screw UNI5933 10.9 M8x20 galvanised+D (coarse pitc		3
21	4228706	CS/SF/RC driving gear		1
22	6014003	40x52x1 shim		1
23	6320040	Elastic ring Ø40 UNI7435 DIN471		1
24	4728707	CS/SF/RC idler gear		1
25	4598935	CS/SF transmission bearing spacer with gears		1
26	2730306	30306 bearing		2
27	3442022	M22x1.5 valve cap		1
28	6800018	O-ring 116 18.72x2,62		1
29	3444101008	DIN980 self-locking M8 (coarse pitch) 8 zinc plate		15
30	4018702	CS/SF transmission crankcase with gears, anonymous		1
31	3474102024	UNI7474 Hmax 21mm fine pitch M24 zinc plated nut		1
32	3444114	M14x1.5 conical porthole cap without washer		1
33	4788712	CS-RC rubber-cork crankcase gasket		1
34	3514201035	M35x1.5 heavy self-locking ring galvanised		1
35	4728708	CS/RC/HL driven gear		1
36	6310072	Elastic ring Ø72 UNI7437 DIN472		1
37	4131520	Transmission side plate		1
38	3021108025	Screw TE M8x25 UNI5739		15
39	6800030	O-ring 217 29,75x3,53		1
40	4202101	ST/RC transmission gear pivot		1

Machine type: TILLER

Model: CS


Group: GEAR TRANSMISSION

Document ID: 902875014

Revision: 07 _04/07/2017 ->

Table: 03

Reference	P/N	Description	Model #	Quantity
41	3444101012	DIN980 self-locking 8 (coarse pitch) M12 zinc plat		2



Machine type: TILLER

Model: CS


Group: GEARBOX (CLOCKWISE ROTATION)

Document ID: 902875014

Revision: 07_04/07/2017 - 03/03/2019

Table: 04

Reference	P/N	Description	Model #	Quantity
1	6203572	Oil seal 35x72x10 PP DIN3760, AS type		1
2	6310072	Elastic ring Ø72 UNI7437 DIN472		1
3	2106207	6207 bearing		1
4	4728795	Z13 sprocket for CS gearbox		1
5	6014003	40x52x1 shim		1
6	6320040	Elastic ring Ø40 UNI7435 DIN471		1
7	2106308	6308 bearing		1
8	4218835	CS105/FLB100/HLV145 crown shaft	CS/105	1
8	4218837	CS/RC125-HLV165 crown shaft	CS/125	1
8	4218838	CS/RC135 FLB140 crown shaft	CS/135	1
8	4218839	CS145 TG60Y crown shaft	CS/145	1
8	4218840	CS165/FLB170 crown shaft	CS/165	1
8	4218841	CS185/AFMS70 crown shaft	CS/185	1
8	4218843	CS205 crown shaft	CS/205	1
8	4218939	CS085/HLV125 L=400 crown shaft	CS/085	1
9	4788744	Transmission side support seal		1
10	4008788	ZLL100 CS105 extension	CS/105	1
10	4008789	ZLL120 CS/RC125 gearbox L=600 extension	CS/125	1
10	4008790	ZLL140 CS145 gearbox L=700 extension	CS/145	1
10	4008791	CS165 gearbox L=800 extension	CS/165	1
10	4008792	CS185 gearbox L=900 extension	CS/185	1
10	4008796	Transmission extension CS205	CS/205	1
10	4008827	ZLL/RC130 gearbox L=650 extension	CS/135	1
10	4008937	ZLL/CS080 gearbox L=400 extension	CS/085	1
11	3604000010	Flat washer UNI6592 140Hv Ø10		10
12	2226308	6308 2RS bearing		1
13	4728794	Z19 crown for CS/RC/HL gearbox		1
14	3441014	14X1.5 conical cap (hexagon head)		1
15	4008701	Vent cap with level indicator with washer		1
16	6470114	Washer M14 (Al/Cu)		1
17	4658818	CS/FLRB170/185 bevel gear crankcase		1
18	2106307	6307 bearing		1
19	4598808	CS/FLB sprocket spacer		1
20	4788793	Sprocket lid seal		1
21	4938843	CS/FLB sprocket lid		1
22	4148775	CS lid chain hook		1
23	3021110025	Screw UNI5739 8.8 M10x25 galvanised (coarse pitch)		10
24	8008815	CS/FTH bevel gear kit		1
25	6013510	35x47x1 shim		1



Machine type: TILLER

Model: CS


Group: GEARBOX (COUNTERCLOCKWISE ROTATION)

Document ID: 902875014

Revision: 07_04/07/2017 - 03/03/2019

Table: 05

Reference	P/N	Description	Model #	Quantity
1	3051108050	Screw UNI5931 8.8 M8x50 galvanised (coarse pitch)		4
2	6203572	Oil seal 35x72x10 PP DIN3760, AS type		1
3	4931332	Sprocket support for ZLL front gearbox		1
4	6320035	Elastic ring Ø35 UNI7435 DIN471		1
5	2106207	6207 bearing		1
6	4591328	Sprocket spacer for ZLL counterclockwise gearbox		1
7	2730207	30207 bearing		1
8	6013510	35x47x1 shim		1
9	4721309	Z13 conical sprocket		1
10	4658818	CS/FLRB170/185 bevel gear crankcase		1
11	4008701	Vent cap with level indicator with washer		1
12	6470114	Washer M14 (Al/Cu)		1
13	3021110025	Screw UNI5739 8.8 M10x25 galvanised (coarse pitch)		7
14	3635100010	Grower washer Fiat 10188 C70 Øi10 zinc plated		10
15	4938843	CS/FLB sprocket lid		1
16	4788793	Sprocket lid seal		1
17	6320040	Elastic ring Ø40 UNI7435 DIN471		1
18	6014003	40x52x1 shim		1
19	3441014	14X1.5 conical cap (hexagon head)		1
20	4728794	Z19 crown for CS/RC/HL gearbox		1
21	2106308	6308 bearing		1
22	4218835	CS105/FLB100/HLV145 crown shaft	CS/105	1
22	4218837	CS/RC125-HLV165 crown shaft	CS/125	1
22	4218838	CS/RC135 FLB140 crown shaft	CS/135	1
22	4218839	CS145 TG60Y crown shaft	CS/145	1
22	4218840	CS165/FLB170 crown shaft	CS/165	1
22	4218841	CS185/AFMS70 crown shaft	CS/185	1
22	4218843	CS205 crown shaft	CS/205	1
22	4218939	CS085/HLV125 L=400 crown shaft	CS/085	1
23	4788744	Transmission side support seal		1
24	4008788	ZLL100 CS105 extension	CS/105	1
24	4008789	ZLL120 CS/RC125 gearbox L=600 extension	CS/125	1
24	4008790	ZLL140 CS145 gearbox L=700 extension	CS/145	1
24	4008791	CS165 gearbox L=800 extension	CS/165	1
24	4008792	CS185 gearbox L=900 extension	CS/185	1
24	4008796	Transmission extension CS205	CS/205	1
24	4008827	ZLL/RC130 gearbox L=650 extension	CS/135	1
24	4008937	ZLL/CS080 gearbox L=400 extension	CS/085	1
25	4148775	CS lid chain hook		1
26	3021110030	Screw UNI5739 8.8 M10x30 galvanised (coarse pitch)		3
27	2226308	6308 2RS bearing		1
28	8008921	RCS/ZLL counter-clockwise bevel gear kit		1



Machine type: TILLER

Model: CS

Group: ROTOR AND TOOLS

Document ID: 902875014

Revision: 07_04/07/2017 ->

Table: 06

Reference	P/N	Description	Model #	Quantity
1	4788219	External support seal		2
2	4648026	ST/CS/SF/SD/RC rotor bearing lid		1
3	6560010	Type-A greaser UNI7663 M10x1.5		1
4	3021110035	Screw UNI5739 8.8 M10x35 galvanised (coarse pitch)		4
5	3635100010	Grower washer Fiat 10188 C70 Øi10 zinc plated		4
6	3062212025	ScrewEI UNI5933 10.9 M12x25 galvanised+D (coarse p		1
7	4148029	Internal dust cover lid		1
8	4208021	Bearing securing washer		1
9	2106207	6207 bearing		1
10	6204562	Oil seal 45x62x10 PP DIN3760, AS type		1
11	4648025	ST/CS/SF/SD rotor bearing support		1
12	4708028	ST/CS/SF/SD rotor support hub		1
13	4148030	RM/RD/CST ext. dust cover lid		1
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/085 (4 blades)	32
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/105 (4 blades)	40
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/135•145 (4 blades)	56
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/165 (4 blades)	64
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/205 (4 blades)	80
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/085 (6 blades) - CS/125 (4 blades)	48
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/105 (6 blades)	40
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/125 (6 blades) - CS/185 (4 blades)	48
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/135•145 (6 blades)	84
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/165 (6 blades)	96
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/185 (6 blades)	108
14	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated	CS/205 (6 blades)	120
15	3022112030	Screw UNI5739 10.9 M12x30 galvanised (coarse pitch)		6
16	4001491	CS085 rotor	CS/085	1
16	4001500	Rotor	CS/205	1
16	4001497	CS/SF145 rotor	CS/145	1
16	4001493	SF/105 rotor	CS/105	1
16	4001499	CS/SF/CST185 rotor	CS/185	1
16	4001498	CS/SF/CST165 rotor	CS/165	1
16	4001495	CS/SF125 rotor	CS/125	1
16	4001496	CS135 rotor	CS/135	1
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/085 (4 blades)	8
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/105 (4 blades)	10
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/135•145 (4 blades)	14
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/165 (4 blades)	16
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/205 (4 blades)	20
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/085 (6 blades) - CS/125 (4 blades)	12
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/105 (6 blades)	15
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/125 (6 blades) - CS/185 (4 blades)	18
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/135•145 (6 blades)	21
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/165 (6 blades)	24
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/185 (6 blades)	27
17	4811400S	CS/RC/SF curved hoe (in 10x box)	CS/205 (6 blades)	30
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/085 (4 blades)	32
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/105 (4 blades)	40
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/135•145 (4 blades)	56
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/165 (4 blades)	64
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/205 (4 blades)	80
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/085 (6 blades) - CS/125 (4 blades)	48
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/105 (6 blades)	40
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/125 (6 blades) - CS/185 (4 blades)	48
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/135•145 (6 blades)	84
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/165 (6 blades)	96
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/185 (6 blades)	108
18	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut	CS/205 (6 blades)	120
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/085 (4 blades)	8
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/105 (4 blades)	10

Machine type: TILLER

Model: CS

Group: ROTOR AND TOOLS

Document ID: 902875014

Revision: 07_04/07/2017 ->

Table: 06

Reference	P/N	Description	Model #	Quantity
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/135•145 (4 blades)	14
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/165 (4 blades)	16
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/205 (4 blades)	20
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/085 (6 blades) - CS/125 (4 blades)	12
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/105 (6 blades)	15
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/125 (6 blades) - CS/185 (4 blades)	18
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/135•145 (6 blades)	21
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/165 (6 blades)	24
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/185 (6 blades)	27
19	4811401S	CS/RC/SF curved hoe (in 10x box)	CS/205 (6 blades)	30
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/085 (4 blades)	32
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/105 (4 blades)	40
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/135•145 (4 blades)	56
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/165 (4 blades)	64
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/205 (4 blades)	80
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/085 (6 blades) - CS/125 (4 blades)	48
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/105 (6 blades)	40
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/125 (6 blades) - CS/185 (4 blades)	48
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/135•145 (6 blades)	84
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/165 (6 blades)	96
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/185 (6 blades)	108
20	3131112035	Tines screw M12x35 8.8 fil.18 galvanised (fine pit	CS/205 (6 blades)	120
21	4148040	RM/RD/CST/TZF dust cover lid		1
22	3051112025	Screw UNI5931 8.8 M12x25 galvanised (coarse pitch)		8
23	4728922	CS/SF/FLBR driven gear hub		1
24	4708071	CS/SF/FLRB driven gear hub support		1
25	4788217	Driven gear seal		1
26	6205090	Oil seal 50x90x10 PP DIN3760, AS type		1
27	2106309	6309 bearing		1
28	6310100	Elastic ring Ø100 UNI7437 DIN472		1
29	4811403	CS/SF squared hoe	CS/085 (4 blades)	8
29	4811403	CS/SF squared hoe	CS/105 (4 blades)	10
29	4811403	CS/SF squared hoe	CS/135•145 (4 blades)	14
29	4811403	CS/SF squared hoe	CS/165 (4 blades)	16
29	4811403	CS/SF squared hoe	CS/205 (4 blades)	20
29	4811403	CS/SF squared hoe	CS/085 (6 blades) - CS/125 (4 blades)	12
29	4811403	CS/SF squared hoe	CS/105 (6 blades)	15
29	4811403	CS/SF squared hoe	CS/125 (6 blades) - CS/185 (4 blades)	18
29	4811403	CS/SF squared hoe	CS/135•145 (6 blades)	21
29	4811403	CS/SF squared hoe	CS/165 (6 blades)	24
29	4811403	CS/SF squared hoe	CS/185 (6 blades)	27
29	4811403	CS/SF squared hoe	CS/205 (6 blades)	30
30	4811402	CS/SF squared hoe	CS/085 (4 blades)	8
30	4811402	CS/SF squared hoe	CS/105 (4 blades)	10
30	4811402	CS/SF squared hoe	CS/135•145 (4 blades)	14
30	4811402	CS/SF squared hoe	CS/165 (4 blades)	16
30	4811402	CS/SF squared hoe	CS/205 (4 blades)	20
30	4811402	CS/SF squared hoe	CS/085 (6 blades) - CS/125 (4 blades)	12
30	4811402	CS/SF squared hoe	CS/105 (6 blades)	15
30	4811402	CS/SF squared hoe	CS/125 (6 blades) - CS/185 (4 blades)	18
30	4811402	CS/SF squared hoe	CS/135•145 (6 blades)	21
30	4811402	CS/SF squared hoe	CS/165 (6 blades)	24
30	4811402	CS/SF squared hoe	CS/185 (6 blades)	27
30	4811402	CS/SF squared hoe	CS/205 (6 blades)	30
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/085 (4 blades)	8
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/105 (4 blades)	10
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/135•145 (4 blades)	14
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/165 (4 blades)	16
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/205 (4 blades)	20
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/085 (6 blades) - CS/125 (4 blades)	12

Machine type: TILLER

Model: CS


Group: ROTOR AND TOOLS

Document ID: 902875014

Revision: 07_04/07/2017 ->

Table: 06

Reference	P/N	Description	Model #	Quantity
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/105 (6 blades)	15
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/125 (6 blades) - CS/185 (4 blades)	18
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/135•145 (6 blades)	21
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/165 (6 blades)	24
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/185 (6 blades)	27
31	4821402	CS squared hoes kit (1x Rh + 1x Lh)	CS/205 (6 blades)	30
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/085 (4 blades)	8
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/105 (4 blades)	10
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/135•145 (4 blades)	14
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/165 (4 blades)	16
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/205 (4 blades)	20
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/085 (6 blades) - CS/125 (4 blades)	12
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/105 (6 blades)	15
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/125 (6 blades) - CS/185 (4 blades)	18
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/135•145 (6 blades)	21
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/165 (6 blades)	24
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/185 (6 blades)	27
32	4821401	CS curved hoes kit (1x Rh + 1x Lh)	CS/205 (6 blades)	30
33	8123500080	Kit 80 hoe screws M12x35	CS/205 (4 blades)	1
33	8123500072	Kit 72 hoe screws M12x35	CS/125 (6 blades) - CS/185 (4 blades)	1
33	8123500032	Kit 32 hoe screws M12x35	CS/085 (4 blades)	1
33	8123500048	Kit 48 hoe screws M12x35	CS/085 (6 blades) - CS/125 (4 blades)	1
33	8123500060	Kit 60 hoe screws M12x35	CS/105 (6 blades)	1
33	8123500056	Kit 56 hoe screws M12x35	CS/135•145 (4 blades)	1
33	8123500084	Kit 84 hoe screws M12x35	CS/135•145 (6 blades)	1
33	8123500064	Kit 64 hoe screws M12x35	CS/165 (4 blades)	1
33	8123500108	Kit 108 hoe screws M12x35	CS/185 (6 blades)	1
33	8123500120	Kit 120 hoe screws M12x35	CS/205 (6 blades)	1
33	8123500040	Kit 40 hoe screws M12x35	CS/105 (4 blades)	1
33	8123500096	Kit 96 hoe screws M12x35	CS/165 (4 blades)	1
34	3022112035	Screw UNI5739 10.9 M12x35 galvanised (coarse pitch)		6



Machine type: TILLER

Model: CS


Group: FRAME, SUPPORTS, SLIDES AND GUARDS

Document ID: 902875014

Revision: 07 _04/07/2017 ->

Table: 07

Reference	P/N	Description	Model #	Quantity
1	3464101008	UNI7473 (coarse pitch) M8 zinc plated nut		4
2	3604000008	Flat washer UNI6592 140Hv Øi08		4
3	4132224	CE Guard	CS/085•105	2
3	4132225	CE Guard	CS/125	2
3	4132227	CE Guard	CS/135	2
3	4132229	CE Guard	CS/145	2
3	4132233	CE front shieding 325mm	CS/165	2
3	4132237	Front protection sheet L=425 panel 50-60	CS/185	2
3	4132241	CE Guard	CS/205	2
4	4302002	50 CS/ZLL panel M8 tie		4
5	3021112035	Screw UNI5739 8.8 M12x35 galvanised (coarse pitch)		8
6	3604000012	Flat washer UNI6592 140Hv Øi12		8
7	3635100012	Grower washer Fiat 10188 C70 Øi12 zinc plated		6
8	4001628	CE CS/SF/RC protection external slide		1
9	3464101012	UNI7473 (coarse pitch) M12 zinc plated nut		8
10	3625100012	Grower washer DIN1751 C70 Øi12 zinc plated		8
11	3021112045	Screw TE M14x45 UNI5739		8
12	4132610	Cover adjustment bracket		4
13	3424101012	Nut M12 UNI5588		4
14	4132600	Bonnet press lid Left		1
15	4132602	Bonnet press lid Right		1
16	4002590	Bonnet presses kit		2
17	3464101014	UNI7473 (coarse pitch) M14 zinc plated nut		6
18	3604100014	Flat washer UNI6592 140Hv Øi14 galvanised		4
19	4674003	CS/RG/SP lid chain 13 rollers		2
20	4302183	Rear lid spring hook		2
21	4212214	RM/RD/RC shock absorber spring		2
22	4001524	CS085 lid	CS/085	1
22	4001526	CS - SF/105 lid	CS/105	1
22	4001528	CS/SF125 lid	CS/125	1
22	4001529	CS135 lid	CS/135	1
22	4001530	CS/SF145 lid	CS/145	1
22	4001531	CS/SF165 lid	CS/165	1
22	4001532	CS/SF185 lid	CS/185	1
22	4001538	Lid	CS/205	1
23	3021108020	Screw UNI5739 8.8 M8x20 galvanised (coarse pitch)		1
24	4001566	CS/RC085 pivot	CS/085	1
24	4001568	CS-RC-SF/105 pivot	CS/105	1
24	4001570	CS/SF/RC125 pivot	CS/125	1
24	4001571	CS/RC130 pivot	CS/135	1
24	4001572	CS/SF/RC145 pivot	CS/145	1
24	4001573	CS/SF/CST/RC165 pivot	CS/165	1
24	4001574	CS/SF/CST/RC185 pivot	CS/185	1
24	4001589	Pin	CS/205	1
25	4001627	CE CS/SF/RC protection transmission slide		1
26	4001234	SB/CS/ZLL support foot		1
27	3021110025	Screw UNI5739 8.8 M10x25 galvanised (coarse pitch)		2
28	4236115	SA/SB/CS/ZLL/RM foot locking pin		1
29	6351003	Split pin Ad R Ø3 galvanised		1
30	4001682	SA/SB/CS/ZLL foot support		1
31	3604100010	Flat washer UNI6592 140Hv Øi10 galvanised		2
32	3444101010	DIN980 self-locking 8 (coarse pitch) M10 zinc plat		2
33	4001644	Lid type "E"	CS/085	1
33	4001645	Lid type "E"	CS/105	1
33	4001646	Lid type "E"	CS/125	1
33	4001648	Lid type "E"	CS/145	1
33	4001649	Lid type "E"	CS/165	1
33	4001650	Lid type "E"	CS/185	1
33	4001651	Lid type "E"	CS/205	1
34	3011114090	Screw TE M14x90 UNI5737		2



Machine type: TILLER
 Model: CS
 Group: SPIKE ROLLER

Document ID: 902875014
 Revision: 07_04/07/2017 ->
 Table: 08

Reference	P/N	Description	Model #	Quantity
1	4004150	Roller adjustment		1
2	4334001	RG/SP adjustment crank		1
3	4005303	crank coupling		1
4	34106008	UNI7473 M8 high self-locking (coarse pitch) nut		1
5	35607006	Greaser M6x1 a 90°		1
6	6330536	Elastic pin Ø5x36 UNI6873 galvanised		1
7	4333039	VM/V1003/VSL little end oil seal bushing		1
8	3011108045	Screw TE M8x45 UNI5737		1
9	3011114080	Screw UNI5737 8.8 M14x80 galvanised (coarse pitch)		1
10	4004149	Inner regulation pipe		1
11	3021112050	Screw TE M12x50 UNI5739		2
12	4331402	Side boom spacer		2
13	4001410	Coupling plate		2
14	3464101012	UNI7473 (coarse pitch) M12 zinc plated nut		7
15	4004148	External regulation pipe		1
16	3464101014	UNI7473 (coarse pitch) M14 zinc plated nut		7
17	4131422	Adjustment screw hook plate		2
18	3021112030		CS/125•145	8
18	3021112030		CS/165•185	12
19	4004147	RG roller adjustment		1
20	4001411	Lateral boom support		2
21	4001420	Roller frame	CS/125	1
21	4001421	Roller frame	CS/145	1
21	4001422	Roller frame	CS/165	1
21	4001423	Roller frame	CS/185	1
22	3011114050	Screw TE M14x50 UNI5737		2
23	6351004	Split pin Ad R Ø4 galvanised		2
24	4304003	RG fastening tie rod 3rd point pin		1
25	4508703	SHV/SHE/SF usual lid chain 12 rollers		1
26	35600010	Straight greaser M10x1,25		2
27	3614000012	Wide washer UNI6593 100Hv Øi12		2
28	3625100012	Grower washer DIN1751 C70 Øi12 zinc plated		2
29	3021112030			2
30	6310072	Elastic ring Ø72 UNI7437 DIN472		2
31	3604100012			1
32	4302183	Rear lid spring hook		1
33	2106207	6207 bearing		2
34	3414101012	UNI5587 M12 (coarse pitch) zinc plated nut	CS/165•185	12
34	3414101012	UNI5587 M12 (coarse pitch) zinc plated nut	CS/125•145	8
35	3414102012	UNI5587 M12x1,25 (fine pitch) zinc plated nut		8
36	4212214	RM/RD/RC shock absorber spring		1
37	4301588	Adaptation bush		2
38	6204200	GNL MF4200 transmission side support oil seal		2
39	4705001	RG bearing support		2
40	4001570	CS/SF/RC125 pivot	CS/125	1
40	4001572	CS/SF/RC145 pivot	CS/145	1
40	4001573	CS/SF/CST/RC165 pivot	CS/165	1
40	4001574	CS/SF/CST/RC185 pivot	CS/185	1
41	4007617	Short scraper		2
42	4001412	CS125 B-type lid	CS/125	1
42	4001413	CS145 B-type lid	CS/145	1
42	4001414	CS165 B-type lid	CS/165	1
42	4001415	CS185 B-type lid	CS/185	1
43	3021114035	Screw UNI5739 8.8 M14x35 galvanised (coarse pitch)		4
44	3021114030	Screw UNI5739 8.8 M14x30 galvanised (coarse pitch)		8
45	4007630	Spike roller	CS/125	1
45	4007632	Spike roller	CS/145	1
45	4007634	Spike roller	CS/165	1
45	4007635	Spike roller	CS/185	1
46	4001459	CS external protection slide with roller		1

Machine type: TILLER
Model: CS
Group: SPIKE ROLLER

Document ID: 902875014
Revision: 07_04/07/2017 ->
Table: 08

Reference	P/N	Description	Model #	Quantity
47	4001458	CS transmission crankcase protection with roller		1